


# Kalstein A different accompaniment, at your service

# LABORATORY LINES AUTOCLAVE





All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 / +33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S





OUR SERVICES

### **Benefits and Support**

In Kalstein France, we take care of the full satisfaction of our customers, that is why we provide value-added services of the highest level based on our experience.



## Online Inductions and Trainings

In any part of the world, receive your induction or training from our specialized team of engineers



#### **Quick Response**

Our work team is always available to response all your consults or questions, in order to support you in any situation.





#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



#### **Technical Support**

Enjoy of personalized advice for the correct preventive and corrective maintenance of your equipment, thanks to Kalstein's manuals and articles, special catalogues and video tutorials.





#### **Delivery Logistics**

We take care of all the necessary logistics for the dispatch of your goods, whether is by sea, land or.air.



#### Kalstein Worldwide

With more than 25 years growing with our customers, Kalstein's multiformat and modern content, is now present in more than 10 countries and increasing.



#### **Indicator Light Vertical Steam Autoclave**

#### Series YR05682









#### **Main Configuration**

- ✓ Control: Microprocessor
- ✓ Display: Indicator light
- ✓ Door: Wing nut locking mechanism
- ✓ Working status indicator light
- ✓ Water level indicator light
- ✓ Sterilization basket 2 PCS
- ✓ Language: English
- ✓ Voltage: 110/220V, 50/60Hz, single-phase

#### **Application**

YR series vertical pressure steam autoclave is the equipment that disinfects and sterilizes the objects with saturated steam, its structure is horizontal and heating way is electric heating. It is composed of sterilization chamber, shell, door, heater, control system, display system and power-supply system.

It is widely used in CSSD, lab, scientific research institution, pharmaceutical, food industry and is suitable for items which are high temperature-resisting and high pressure-resisting including unwrapped or wrapped instrument, dressing, rubber, liquid, plant-in instrument, porous item, hollow instrument to be sterilized.

#### **Product Features**

- ✓ Fully stainless steel 304 structure.
- Microprocessor control, indicator light indicates working status, water level.
- ✓ Auto discharge the cool air, and steam discharging automatically after sterilization.
- ✓ Wing nut locking mechanism.
- ✓ Door safety interlock device.
- ✓ Double scale indication pressure gauge.
- ✓ Self-inflating type rubber.
- Automatically shut off with beep reminding after sterilization.
- ✓ With two stainless steel sterilization baskets.
- ✓ Standard PT/TT test interface is provided for convenient testing.
- ✓ Emergency exhaust valve.

#### **Safety Protection Device**

- ✓ Door safety interlock device.
- ✓ Safe protection of water lacking
- ✓ The program will be stopped if water level lower than the low limit.
- ✓ The buzzer alarms when a cycle of operation is completed.
- ✓ Over temperature & over pressure auto-protection.
- ✓ Over current protector.
- ✓ Safety valve of auto release against over-pressure.



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S. 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S



### **Indicator Light Vertical Steam Autoclave**

#### Series YR05682





Model	YR05682	YR05683	YR05684	YR05685	YR05686	YR05687
Volume	35 Liters	50 Liters	75 Liters	100 Liters	120 Liters	150 Liters
Chamber volume	Ø318×450	Ø340×550	Ø400×600	Ø440×650	Ø480×660	Ø510×740
(mm) Max. working pressure	0.23 Mpa					
Working pressure	0-0.22 Mpa					
Working temperature	134°C					
Working temperature	perature 105 - 134°C					
range Time for sterilization Temperature	0-60 min					
accuracy	0.1°C					
Heat average Power	2.5 KW	3.0 KW	≤1 4.5	-	6.0 KW	
Product dimension (mm)	450×450×1010	510×470×1130	560×560×1130	540×560×1240	600×640×1240	670×690×1280
Package dimension	570×570×1150	590×590×1280	650×650×1280	680×680×1370	730×730×1370	760×760×1370
(mm) Gross /Net Weight	72 kg / 56 kg	88 kg / 68 kg	100 kg / 80 kg	110 kg / 85 kg	125kg / 100kg	140kg / 110kg



#### #Letsgivemore 💗

Thanks to your purchase, a donation will be made to a non-profit foundation that fights against breast cancer and helps most vulnerable communities.



All rights reserved ® KALSTEIN France S. A. S., 2 Rue Jean Lantier • 75001 Paris • +33 1 78 95 87 89 /+33 6 80 76 07 10 • https://kalstein.eu

KALSTEIN FRANCE, S. A. S







#LETSGIVEMORE >

# WITH THE ADCQUISITION OF A KALSTEIN EQUIPMENT

YOU MAKE A CONTRIBUTION TO:





https://onetreeplanted.org



Solidarité et coopération biomédicale

https://www.humatem.org/



https://www.maniapurefoundation.org/



# ANY DOUBT? Contact us!

#### **Articles Kalstein**

(Social Networks and Official Websites)







Article of the week: How does the climate affect your microscope?

Read more on Kalstein's social medias or official websites





Article of the week: What is the importance of the laboratory refrigerator?

Read more on Kalstein's social medias or official websites https://kalstein.eu/articles



PARIS - FRANCE HEADQUARTER

2 Rue Jean Lantier 75001 Paris - France

**Tlf:** +33 (0) 01 78 95 87 89 **Cel:** +33 (0) 6 80 76 07 10 sales@kalstein.eu

https://kalstein.eu/ https://www.kalstein.fr/



(Youtube Channel and Official Websites)



Kalstein France - Jacinto Convit Foundation / Allianc...

23 views • 3 years ago



Kalstein's Microscopes

445 views • 1 week ago

